



**Workbench Notes:**

Manufacturer:  
 $f(s) = 23.55 \text{ Hz}$   
 $Q(ms) = 6.294$   
 $V(as) = 0.00 \text{ liters (0.000 cubic feet)}$   
 $n(0) = 0.00 \%$   
 $M(ms) = 0.00 \text{ grams}$

Model:  
 $R(e) = 12.76 \text{ Ohms}$   
 $Q(es) = 2.092$   
 $SPL = 0.00 \text{ dB SPL } 1W/1m$   
 $C(ms) = 0.00 \text{ mm/N}$

Piston Diameter = 0.0 mm  
 $Z(max) = 51.16 \text{ Ohms}$   
 $Q(ts) = 1.570$   
 $L(e) = 2.44 \text{ mH}$   
 $BL = 0.00$

**Memory 1 Notes:**

Manufacturer:  
 $f(s) = 23.55 \text{ Hz}$   
 $Q(ms) = 6.294$   
 $V(as) = 0.00 \text{ liters (0.000 cubic feet)}$   
 $n(0) = 0.00 \%$   
 $M(ms) = 0.00 \text{ grams}$

Model:  
 $R(e) = 12.76 \text{ Ohms}$   
 $Q(es) = 2.092$   
 $SPL = 0.00 \text{ dB SPL } 1W/1m$   
 $C(ms) = 0.00 \text{ mm/N}$

Piston Diameter = 0.0 mm  
 $Z(max) = 51.16 \text{ Ohms}$   
 $Q(ts) = 1.570$   
 $L(e) = 2.44 \text{ mH}$   
 $BL = 0.00$

**Victor Androsenko**

Measurements by: Victor Androsenko

Title: